

Cardiovascular Disease Risk Assessment Service Compliance

Last Updated: 17/2/2022

This document sets out some key aspects which indicate if your use of the CVDRA API is compliant with our guidance. API implementation details can be found here: <https://api.cvdriskassessment.min.health.nz/open-api/> and should be read in conjunction with this document.

To be compliant with the CVDRA Service a client application **must**:

- (1) Be using an implementation at or above the following version:
 - a. General Version 3
 - b. Diabetes Version 2
 - c. Public Version 1
- (2) Be using the endpoint located at: <https://api.cvdriskassessment.min.health.nz/>
- (3) Demonstrate that you are using the 'submission-type' flag appropriately including submitting 'what-if' calculations appropriately.
- (4) Supply X-Forwarded-For header in requests which contain the submitting client IP address
- (5) Not call the production API from non-production system, for testing or for demonstration purposes. Conversely, the production system should be used only for actual CVDRA calculations.

To be compliant with the CVDRA Service, you **should consider**:

- (6) not using any deprecated parameters (e.g. 'sex' should be used in place of 'female', 'ethnicity' should be used in place of 'maori', 'pacific' etc.)
- (7) not routinely specify a minor or revision version in your API call

What we can't assess easily, but you should still consider:

- (8) Your API key should not be shared, and should be protected against discovery or use by an unauthorised third party